



ZWire Business v2.1 Core TypoScript Template

The Core Typoscript Template containing configuration of Zen Wireframe Business can be found in the root page (id=1) on the page tree and is responsible for dynamic menu generation, HTML and CSS rendering and general system configuration. Please note that TypoScript values may change with future releases of Zen Wireframe.



Use **Web>List** view to quickly locate and edit TypoScript templates. Use Web>Template to access the Constant Editor and other [template tools](#).



TypoScript Constants code:

```
# uncomment if using RealURL
#####
# config.baseURL = http://your-domain.com/

# Removes target attribute for XHTML Strict
#####
styles.content.links.extTarget =

# default target for links:
#####
PAGE_TARGET =

# Page StyleSheet Selector
#####
plugin.tx_cssselect_pi1 {
recursive = 1
cssComments = 0
importRules = 0
}
```

TypoScript Setup code:

```
# Template Selector
#####
plugin.tx_rlmptmplselector_pi1 {
templatePathMain = fileadmin/templates/zwire/
defaultTemplateFileNameMain = 2column-style1.html
}

# Remove extra TYPO3 markup
# http://www.busynoggin.com/blog/blog-item/archive/2007/february/article/getting-rid-of-extra-markup-in-typo3/
#####
lib.parseFunc_RTE.nonTypoTagStdWrap.encapsLines.addAttributes.P.class >
lib.stdheader.stdWrap.dataWrap >
lib.stdheader.3.headerClass >
tt_content.stdWrap.dataWrap >

# Cache Control Headers
#####
# config.sendCacheHeaders = 1

# XHTML DOCTYPE
#####
config.doctype = <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
config.htmlTag_setParams = xmlns="http://www.w3.org/1999/xhtml" xml:lang="en-US"

# Externalize CSS and JS
#####
config.removeDefaultJS = external
config.inlineStyle2TempFile = 1
```

```

# Spam Protection for Email
#####
config {
spamProtectEmailAddresses = 2
spamProtectEmailAddresses_atSubst = (at)
}

# Send UTF-8 Notification Email Headers
#####
config.notification_email_charset = utf-8
config.notification_email_encoding = quoted-printable
config.notification_email_urlmode = all

# Indexed search engine
#####
config.index_enable = 1

# Setting up 'page' to be the default PAGE object (type=0)
#####
page = PAGE
page.typeNum = 0
page.meta.description.field = description
page.meta.keywords.field = keywords
config.xhtml_cleaning = all
config.disablePrefixComment = 1
config.pageTitleFirst = 1
config.headerComment =
page.includeCSS {
  file1 = fileadmin/templates/zwire/css/layout.css
  file2 = fileadmin/templates/zwire/css/ADxMenu.css
}

page.headerData.10 = TEXT
page.headerData.10.value (

    <!--[if lte IE 6]>
    <style type="text/css" media="screen, tv, projection">
    @import "fileadmin/templates/zwire/css/ie6.css";
    </style>
    <script type="text/javascript" src="fileadmin/templates/zwire/scripts/ADxMenu.js"></script>
    <![endif]-->

    <link rel="alternate" type="application/rss+xml" title="RSS Feed" href="?type=100" />
)

page.bodyTag = <body class="adxmenu">
page.1 = TEMPLATE
page.1.marks.PAGE_UID = TEXT
page.1.marks.PAGE_UID.field = uid
page.1 {
  template < plugin.tx_rlmpmplselector_pi1
  workOnSubpart = DOCUMENT_BODY
  subparts.CONTENT_LEFT < styles.content.getLeft
  subparts.CONTENT_RIGHT < styles.content.getRight
  subparts.CONTENT_BORDER < styles.content.getBorder
  subparts.CONTENT < styles.content.get

```

```

# Breadcrumb menu
#####
subparts.BREADCRUMB = HMENU
subparts.BREADCRUMB {
  includeNotInMenu = 1
  special = rootline
  1 = TMENU
  1 {
    # Separate links with double-right arrow
    NO.linkWrap = | &#187; &nbsp;|*||*|
    noBlur = 1
    # Don't link current page
    CUR = 1
    CUR.doNotLinkIt = 1
  }
}

```

```

# Top horizontal dropdown menu
#####
subparts.TOPNAV = HMENU
subparts.TOPNAV.special = directory
subparts.TOPNAV.special.value = 1
#subparts.TOPNAV.excludeUidList = 1,2,3

```

```

subparts.TOPNAV {
  wrap = |
  entryLevel = 0
  1 = TMENU
  1 {
    expAll=1
    noBlur = 1
    wrap = <ul class="adxm menu"> | </ul>
    NO {
      wrapItemAndSub = <li class="hover2"> | </li>
    }
    ACT = 1
    ACT {
      noBlur = 1
      wrapItemAndSub = <li class="active"> | </li>
    }
  }
  2 = TMENU
  2 {
    expAll=1
    noBlur = 1
    wrap = <div class="hover2"><ul> | </ul></div>
    NO {
      wrapItemAndSub = <li> | </li>
    }
  }
  3 = TMENU
  3 {
    expAll=1
    noBlur = 1
    wrap = <div class="hover2"><ul> | </ul></div>
    NO {
      wrapItemAndSub = <li> | </li>
    }
  }
}

```

```
4 = TMENU
4 {
expAll=1
noBlur = 1
wrap = <div class="hover2"><ul> | </ul></div>
NO {
wrapItemAndSub = <li> | </li>
}
}
}
```

```

# Vertical Navigation header
#####
subparts.VERTNAV_TITLE = TEXT
subparts.VERTNAV_TITLE {
  wrap = <div class="vertnav-header"> | </div>
  data = leveltitle:1
  #if {
    isTrue.numRows {
      table = pages
      select {
        pidInList.data = leveluid:1
      }
    }
  }
#}
}
# Vertical Navigation
#####
subparts.VERTNAV = HMENU
subparts.VERTNAV.entryLevel = 1
#subparts.VERTNAV.special = directory
#subparts.VERTNAV.special.value = 1
#subparts.VERTNAV.excludeUidList = 1,2,3
subparts.VERTNAV.1 = TMENU
subparts.VERTNAV.1 {

# Normal state properties
#####
NO.allWrap = <div class="vertnav1"> | </div>

# Active state and set properties
#####
ACT = 1
noBlur = 1
ACT.allWrap = <div class="vertnav1-act"> | </div>
}

# Second level menu-object
#####
subparts.VERTNAV.2 = TMENU
subparts.VERTNAV.2 {

# Normal state properties
#####
NO.allWrap = <div class="vertnav2"> | </div>

# Enable active state and set properties:
#####
ACT = 1
noBlur = 1
ACT.allWrap = <div class="vertnav2-act"> | </div>
}

# Third level menu-object
#####
subparts.VERTNAV.3 = TMENU
subparts.VERTNAV.3 {

# Normal state properties
#####

```

```

NO.allWrap = <div class="vertnav3"> | </div>

# Enable active state and set properties:
#####
ACT = 1
noBlur = 1
ACT.allWrap = <div class="vertnav3-act"> | </div>
}

# Fourth level menu-object
#####
subparts.VERTNAV.4 = TMENU
subparts.VERTNAV.4 {

# Normal state properties
#####
NO.allWrap = <div class="vertnav4"> | </div>

# Enable active state and set properties:
#####
ACT = 1
noBlur = 1
ACT.allWrap = <div class="vertnav4-act"> | </div>
}
}


# Click to enlarge popup modification
#####
tt_content.image.20.1.imageLinkWrap {
JSwindow.expand = 0,0
bodyTag = <BODY style="margin: 0; background: #000000;">
title = Page Popup #default(Image)
}
tt_content.textpic.20.1 < tt_content.image.20.1

# Additional Page Content Frame Styles (see layout.css)
#####
tt_content.stdWrap.innerWrap.cObject.100 = TEXT
tt_content.stdWrap.innerWrap.cObject.100.value = <div class="contentframe3"> | </div>
tt_content.stdWrap.innerWrap.cObject.101 = TEXT
tt_content.stdWrap.innerWrap.cObject.101.value = <div class="center-mini-calendar"> | </div>

## Clean CSS from temp file
#####
plugin.tx_srfeuserregister_pi1._CSS_DEFAULT_STYLE =
plugin.tx_cal_controller._CSS_DEFAULT_STYLE =
plugin.tt_news._CSS_DEFAULT_STYLE =
plugin.tx_indexedsearch._CSS_DEFAULT_STYLE =
plugin.tx_abdownloads_pi1._CSS_DEFAULT_STYLE <
plugin.tx_ablinklist_pi1._CSS_DEFAULT_STYLE <
#plugin.tx_irfaq_pi1._CSS_DEFAULT_STYLE =
plugin.tx_srfreecap_pi2._CSS_DEFAULT_STYLE =

## Remove CSS from <head></head>
#####
page.includeCSS {
tipafriend_plus =
mm_forum =
}

```



The Zen Wireframe Business Core TypoScript template is chained to 3 additional basis templates. The 4 combined TypoScript templates effect all pages below the the root page.

Include static (from extensions) activates the default TypoScript templates used to enable the extensions CSS Styled Content, Nested Content Elements, Page Stylesheet Selector, Commenting system and Ratings.

+ Template TS Markers renders content for the TypoScript Markers in the HTML templates /fileadmin/templates/zwire/1column.html, 2column-style1.html, 2column-style2.html, 2column-style3.html and 3column.html.

+ Calendar contains TypoScript configuration for the extension Calendar Base (cal) and affects all pages below the root page containing the Calendar Base Plugin.

+ News contains TypoScript configuration for the extension News (tt_news) and affects all pages below the root page containing the News (tt_news) Plugin.

Zen Wireframe 2.1 Business Edition

Original Author: Gregory D. Remington

Email: support(at)mediatech.net

Website: <http://www.mediatech.net>

License: <http://creativecommons.org/licenses/by-sa/3.0/>