


# Zen Wireframe TypoScript (TS) Markers


The TypoScript Template, + Template TS Markers, renders content for the HTML templates /fileadmin/templates/zwire/1column.html, 2column-style1.html, 2column-style2.html, 2column-style3.html and 3column.html.


## Content rendered includes:

- Masthead Graphic
- Advanced Search link
- Sign In and Register links
- Print icon link
- Tip a Friend icon link
- Search form for indexed\_search
- Copyright notice and links with dynamically updated copyright year.



Use **Web>List** view to quickly locate and edit TypoScript templates. Use Web>Template to access the Constant Editor and other [template tools](#).





## TypoScript Setup code:

```

# Masthead Graphic
#####
page.1{
subparts.MASTHEAD = TEXT
subparts.MASTHEAD.insertData = 1
subparts.MASTHEAD.value (
    
)
}

# Advanced Search link
#####
page.1{
subparts.ADVSEARCH-LINK = TEXT
subparts.ADVSEARCH-LINK.insertData = 1
subparts.ADVSEARCH-LINK.value (
<b>Search:</b> <a href="index.php?id=6&tx_indexedsearch[ext]=1">Advanced Search</a>
)
}

# Sign In and Register links
#####
page.1{
subparts.MEMBER-LINKS = TEXT
subparts.MEMBER-LINKS.insertData = 1
subparts.MEMBER-LINKS.value (
<b>Members:</b> <a href="index.php?id=5">Sign In</a> | <a href="index.php?id=24">Register</a>
)
}

```

```

# Sign Off user
#####
[loginUser = *]
page.1.subparts.MEMBER-LINKS.value (
<form action="index.php?id=25" target="_top" method="post" style="margin: 0pt; white-space: nowrap;">
<b><!--###USERNAME###-->&nbsp; <input type="submit" name="submit" id="logout" value="Logout" /></b>
<input type="hidden" name="logintype" value="logout" />
<input type="hidden" name="pid" value="4" />
</form>
)
[GLOBAL]

```

```

# Cron print link
#####
print = PAGE
print.includeCSS {
  file1 = fileadmin/templates/zwire/css/ext/print.css
}
print {
  typeNum = 98
  bodyTag = <body onload="parent.self.print();">
  10 = TEXT
  20 < styles.content.get
}

```

```

page.1 {
subparts.PRINT < plugin.tx_cronprintlink_pi1
subparts.PRINT.linkContent = TEXT
subparts.PRINT.linkContent.value =  Print
}

```

```

# Tip a Friend
#####
page.1 {
subparts.TIPAFRIEND = TEXT
subparts.TIPAFRIEND {
userFunc = tx_tipafriendplus->main_tx_tipafriendplus
code = TIPLINK
value =  Email
typolink{
parameter = 7 # link to your tip-a-friend page
ATagParams = target="_top"
additionalParams.cObject = COA
additionalParams.cObject{
1 = TEXT
1.value = &tipUrl=
2 = TEXT
2.data = getIndpEnv: TYPO3_REQUEST_URL
2.rawUrlEncode = 1
}
}
}
}
}

```

```

# Search form for indexed_search
#####
page.1 {
subparts.SEARCH_FORM = TEXT
subparts.SEARCH_FORM.insertData = 1
subparts.SEARCH_FORM.value (
<form action="index.php?id=6" method="post">
  <div class="search">
    <input id="searchfield" class="searchfield" type="text" name="tx_indexedsearch[sword]" value="" />
    <input id="searchimage" class="searchimage" type="image"
src="fileadmin/templates/zwire/images/search.gif" title="Search" alt="Search" />
    <input type="hidden" name="tx_indexedsearch[_sections]" value="0" />
    <input type="hidden" name="tx_indexedsearch[_freeIndexUid]" value="_" />
    <input type="hidden" name="tx_indexedsearch[pointer]" value="0" />
    <input type="hidden" name="tx_indexedsearch[ext]" value="" />
    <input type="hidden" name="tx_indexedsearch[type]" value="0" />
    <input type="hidden" name="tx_indexedsearch[defOp]" value="0" />
    <input type="hidden" name="tx_indexedsearch[media]" value="-1" />
    <input type="hidden" name="tx_indexedsearch[order]" value="rank_flag" />
    <input type="hidden" name="tx_indexedsearch[group]" value="flat" />
    <input type="hidden" name="tx_indexedsearch[lang]" value="-1" />
    <input type="hidden" name="tx_indexedsearch[desc]" value="0" />
    <input type="hidden" name="tx_indexedsearch[results]" value="10" />
  </div>
</form>
)
}

```

```

# Copyright notice and links
#####
page.1 {
subparts.COPYRIGHT-LINKS = COA
subparts.COPYRIGHT-LINKS {

wrap = <div id="footertext"> | </div>

10 = TEXT
10.data = date:U
10.strftime = %Y
10.wrap = Copyright &nbsp; | &nbsp;Your Business ::&nbsp;

20 = TEXT
20.value = Terms of Use
20.typolink.wrap = <span class="footerlink"> | </span> ::&nbsp;
20.typolink.parameter = # <-- Replace # with Page ID where the Terms of Use page is located

30 = TEXT
30.value = Privacy Policy
30.typolink.wrap = <span class="footerlink"> | </span>
30.typolink.parameter = # <-- Replace # with Page ID where the Privacy Policy page is located
}
}

```

**Zen Wireframe 2.1 Business Edition**

Original Author: Gregory D. Remington

Email: support(at)mediatech.net

Website: <http://www.mediatech.net>

License: <http://creativecommons.org/licenses/by-sa/3.0/>